

Gear Reducers

Bevel gear units

- **Sizes:** 7 size (80 ... 320)
- **Power:** 0, 16... 500 Kw
- **Output:** hollow or low speed shaft



Coaxial gear reducers

- **Solid-shaft, coaxial**
- **Power:** 0.09 : 75 kw
- **Speed:** 224 : 5,6 RPM
- **Size:** 15 Sizes (32 ... 180)
- **Foot & flange mount**



Helical and bevel helical gear reducers

- **Sizes :** 10 Sizes (400 ... 631)
- **Powerful series :** 16 ... 3,650 kW
- **Suitable for big and heavy applications**
- **Design :** available in parallel or right angle shaft





Helical and bevel helical gear reducers

Parallel and Right angle shaft gear reducers and gear motors GSeries (standard and long body)

- **Frame size:** (50 ... 360)
- **Power:** 0.09 ... 160 kw

Parallel and Right angle shaft gear reducers and gear motors for Extruders GXSeries

- **Size:** 16 size (100 ... 451)
- **Power:** up to 1,710 kw




Helical and bevel helical gear units for heavy industry

- **Sizes:** 15 sizes 400 ... 1 002
- **Solid output shaft**
- **Available in parallel & right angle shaft version**
- **Suitable for big and heavy application**
- **Hollow output shaft with key**
- **Hollow output shaft with shrink discs**
- **Backstop device**
- **Swing base**
- **Pony drives**



Planetary gear reducers



Planetary gear reducer (coaxial and right angle) designs

- **Solid output shaft**
- **Spline output shaft**
- **Hollow spline shaft**
- **Hollow output shaft with key**
- **Hollow output shaft with shrink discs**
- **Power: 0,18...90 kW**
- **Size: 20 gear reducer sizes 001 ... 710**

Shaft mounted gear reducers

- **Type:** shaft-mounted
- **Applications:** conveyer belts
- **Power:** 0, 6 85 kW
- **Speed:** 140: 14 RPM
- **Size:** 7 sizes (85...250)



Worm gear reducers & gear motors

- **Type:** Worm-right-angle
- **Applications:** conveyer belts, turn tables
- **Power:** 0,09...55 kW
- **Speed:** 140: 1,12 RPM
- **Size:** 14 sizes (32...250)

